

6 Warning Signs of Falls

If you are over 65 years of age:

- Previous Falls: One fall in the past 6 months
- ☐ Fear of Falling:

 Afraid that you will fall
 - Medications/Drugs: Using sedatives, fluid pills, recreational drugs, blood pressure pills or more than 4 medications
 - ☐ Balance and Mobility:

 Any problems with

 balance or unable to

 raise from a chair
- Medical Conditions: For example, stroke or Parkinson's disease, osteoporosis, arthritis, dementia or Alzheimer's disease
- ☐ Vision Problems:
 Blurred/double vision,
 difficulty seeing steps or
 walking in dim light

If you have checked two of the warning signs you are at an increased risk for falling.

For further screening and information contact a health care provider or CCAC at 310-CCAC (2222)







Top 10 Tips to Reduce Your Chance of Having a Fall

- Slow down and take time to be safe.
- Be physically active for a total of 30 to 60 minutes most days.
- 3. Have your vision and hearing checked regularly.
- Discuss your medication
 supplements with your doctor or pharmacist.
- Eat a healthy balanced diet, drink plenty of water & limit your alcohol.
- 6. When walking outside, be aware of your surroundings and watch where you step.
- 7. Use safety equipment such as canes, walkers, grab bars & rubber bath mats.
- 8. Wear non-slip shoes, boots & slippers that fit well & seek treatment for foot problems.
- 9. Use a night-light and keep a flashlight by your bed.
- Complete a home safety checklist available online or through your healthcare provider.